



# STERILE MEDICATION LABELS

Meet The Joint Commission's requirement to label all medication containers for procedures and do your part to help prevent medication errors.

# 70%

of medication errors  
are attributed to  
“syringe swaps”

(misidentification of a syringe)<sup>1</sup>

Aren't there enough risks associated with surgery? Prevent medication errors with accurate labeling.



**According to the FDA, approximately 1.3 million Americans a year are injured due to medication errors.**

Many of these preventable mistakes are caused by incorrect medication dispensing and administration, often due to mislabeling or failure to label. Safe medication practices are critical to patient safety and preventing adverse drug events.

#### **Meet Joint Commission National Patient Safety Goals**

**Goal 1:** PSG.03.04.01: Label all medications, medication containers, and other solutions on and off the sterile field in perioperative and other procedural settings

**Goal 2:** Improve the effectiveness of communication among caregivers

**Goal 3:** Prevent medication errors caused by unlabeled or improperly labeled medications

#### **PDC sterile medication labels provide accurate identification that meets regulatory requirements**

- Hermetically sealed in a sterilized pouch
- Gamma treated: clean room safe according to FDA standards
- Water-resistant labels will not deteriorate in water
- Labels are latex free, smudge-proof and glove-friendly
- Labels use permanent adhesive to strongly adhere to drug syringes and medication containers without falling off

84%

of anesthesiologists agree that improved standards for drug labels reduce errors<sup>1</sup>

47%

of the medication errors come from misidentification of the medication label<sup>1</sup>


PDC sterile medication labels are the simplest solution to help prevent medication errors.

**Visible. Secure. Safe.**


<sup>1</sup> Beverly A Orser, et al. Medication errors in anesthetic practice: a survey of 687 practitioners. Canadian Journal of Anesthesia. 2001; 139-144

## PDC outperforms other brands - compare for yourself!

### PDC Labels WILL NOT deteriorate in water




Other paper labels absorb water.



PDC labels are water-resistant. Ink will not bleed.

### PDC Labels REMOVE EASIER from metal surfaces



Other paper labels leave a hard to clean mess.



PDC labels peel off cleanly.



# STOCK STERILE LABELS

**Pre-printed sterile labels** reduce prep time and help prevent medication errors.



## General Sterile Labels

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

STER-26  
STER-27 (pen included)

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

STER-28  
STER-29 (pen included)

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

STER-20  
STER-23 (pen included)

LIDOCAINE  
Strength \_\_\_\_\_ % Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

LIDOCAINE & EPINEPHRINE  
Strength \_\_\_\_\_ % Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

MARCAINE  
Strength \_\_\_\_\_ % Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

MARCAINE & EPINEPHRINE  
Strength \_\_\_\_\_ % Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

HEPARIN  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

HEPARINIZED SALINE  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

NORMAL SALINE 0.9%  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

STER-21  
STER-24 (pen included)

ANTIBIOTIC  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

BACITRACIN  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

BUPIVACAINE  
Strength \_\_\_\_\_ % Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

COCAINE  
Strength \_\_\_\_\_ % Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

CONTRAST  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

HEPARIN  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

HEPARINIZED SALINE  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

NORMAL SALINE 0.9%  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

EPINEPHRINE  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

LIDOCAINE  
Strength \_\_\_\_\_ % Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

LIDOCAINE & EPINEPHRINE  
Strength \_\_\_\_\_ % Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

MARCAINE  
Strength \_\_\_\_\_ % Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

MARCAINE & EPINEPHRINE  
Strength \_\_\_\_\_ % Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

NITROGLYCERIN  
Strength \_\_\_\_\_ mg/ml Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

XYLOCAINE  
Strength \_\_\_\_\_ % Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

WATER  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

STER-22  
STER-25 (pen included)

## Interventional Radiology Sterile Labels

ALCOHOL  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

BETADINE  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

CONTRAST  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

CONTRAST  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

CONTRAST  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

HEPARIN  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

HEPARIN 0.9% SALINE  
Strength \_\_\_\_\_ units/ml Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

HEPARIN 0.9% SALINE  
Strength \_\_\_\_\_ units/ml Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

HEPARIN 0.9% SALINE  
Strength \_\_\_\_\_ units/ml Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

HEPARIN 0.9% SALINE  
Strength \_\_\_\_\_ units/ml Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

LIDOCAINE  
Strength \_\_\_\_\_ % Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

LIDOCAINE  
Strength \_\_\_\_\_ % Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

LIDOCAINE W/ EPI  
Strength \_\_\_\_\_ % Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

NORMAL SALINE 0.9%  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

NORMAL SALINE 0.9%  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

TPA  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

Medicine \_\_\_\_\_  
Strength \_\_\_\_\_ Exp. Date \_\_\_\_\_  
Exp. Time \_\_\_\_\_

STER-32  
STER-33 (pen included)

STOCK STERILE LABELS					
ITEM #	SHEET SIZE	LABEL SIZE	LABELS/SHEET	SHEETS/BOX	PENS/BOX
STER-26	1-3/4" x 3-5/8"	1 1/2" x 1/2"	6	100	—
STER-27	1-3/4" x 3-5/8"	1 1/2" x 1/2"	6	100	100
STER-28	1-3/4" x 6"	1 1/2" x 1/2"	10	100	—
STER-29	1-3/4" x 6"	1 1/2" x 1/2"	10	100	100
STER-20	1-3/4" x 6"	1 1/2" x 1/2"	10	100	—
STER-23	1-3/4" x 6"	1 1/2" x 1/2"	10	100	100
STER-21	1-3/4" x 6"	1 1/2" x 1/2"	10	100	—
STER-24	1-3/4" x 6"	1 1/2" x 1/2"	10	100	100
STER-22	3-1/2" x 6"	1 1/2" x 1/2"	20	100	—
STER-25	3-1/2" x 6"	1 1/2" x 1/2"	20	100	100
STER-32	3-1/2" x 6"	1 1/2" x 1/2"	20	100	—
STER-33	3-1/2" x 6"	1 1/2" x 1/2"	20	100	100

Shaded Areas = Sterile Pens included. All of the above labels have Permanent (P) adhesive. Labels individually packed in hermetically sealed pouch.



STER-PEN

### Utility Medical Marker

- Permanent black ink that will not smudge even when submerged in water
- Individually packaged in hermetically sealed pouch

### STER-PEN SPECIFICATIONS


ITEM #	PENS/BOX
STER-PEN	25

# CLEAR STERILE MEDICATION LABELING KITS / MARKING PENS

**Clear sterile labels** are waterproof, will not smudge or deteriorate

- Easily see contents of syringe through clear label
- Removes from medication containers and basins without leaving messy residue

**Lidocaine** \_\_\_\_\_  
Date: \_\_\_\_\_ Init: \_\_\_\_\_



## Clear Sterile Medication Labeling Kit

Each kit includes:

- 1 Sterile Label Sheet
- 1 Ultra Fine Point Sterile Pen
- 100 Kits per Box

Lidocaine _____ Date: _____ Init: _____	Lidocaine _____ Date: _____ Init: _____	Lidocaine _____ Date: _____ Init: _____	Lidocaine _____ Date: _____ Init: _____	Heparin _____ Date: _____ Init: _____
Contrast _____ Date: _____ Init: _____	Contrast _____ Date: _____ Init: _____	Contrast _____ Date: _____ Init: _____	Contrast _____ Date: _____ Init: _____	TPA _____ Date: _____ Init: _____
Hep./Saline _____ Date: _____ Init: _____	Hep./Saline _____ Date: _____ Init: _____	Hep./Saline _____ Date: _____ Init: _____	Cardizem _____ Date: _____ Init: _____	Aminophylline _____ Date: _____ Init: _____
Saline _____ Date: _____ Init: _____	Saline _____ Date: _____ Init: _____	Saline _____ Date: _____ Init: _____	Saline _____ Date: _____ Init: _____	Morphine Sulfate _____ Date: _____ Init: _____
Versed _____ Date: _____ Init: _____	Nitro _____ Date: _____ Init: _____	Sterile Water _____ Date: _____ Init: _____	Verapamil _____ Date: _____ Init: _____	Nicardipine _____ Date: _____ Init: _____
Specimen _____ Date: _____ Init: _____	Specimen _____ Date: _____ Init: _____	Levophed _____ Date: _____ Init: _____	Adenosine _____ Date: _____ Init: _____	Prep Solution _____ Date: _____ Init: _____
_____	_____	_____	_____	_____

STER-36 (pen included)

Lidocaine _____ Date: _____ Init: _____	_____
Saline _____ Date: _____ Init: _____	_____
Heparin _____ Date: _____ Init: _____	_____
Hep./Saline _____ Date: _____ Init: _____	_____
Contrast _____ Date: _____ Init: _____	_____
Prep Solution _____ Date: _____ Init: _____	_____

STER-38 (pen included)



STER-BIC

## Ultra Fine Point Sterile Pen

- Included in every kit!
- Smudge proof
- Waterproof
- Individually packaged in hermetically sealed pouch

Lidocaine _____ Date: _____ Init: _____	Heparin _____ Date: _____ Init: _____	Nipride _____ Date: _____ Init: _____	_____
Lidocaine _____ Date: _____ Init: _____	Saline _____ Date: _____ Init: _____	Verapamil _____ Date: _____ Init: _____	_____
Hep./Saline _____ Date: _____ Init: _____	Nitro _____ Date: _____ Init: _____	Adenosine _____ Date: _____ Init: _____	_____
Hep./Saline _____ Date: _____ Init: _____	Contrast _____ Date: _____ Init: _____	Levophed _____ Date: _____ Init: _____	_____
Hep./Saline _____ Date: _____ Init: _____	Contrast _____ Date: _____ Init: _____	Cardizem _____ Date: _____ Init: _____	_____
Prep Solution _____ Date: _____ Init: _____	Contrast _____ Date: _____ Init: _____	Nicardipine _____ Date: _____ Init: _____	_____

STER-37 (pen included)

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

STER-39 (pen included)

### STER-BIC SPECIFICATIONS

ITEM #	PENS/BOX
STER-BIC	25

### STOCK CLEAR STERILE LABELS

ITEM #	SHEET SIZE	LABEL SIZE	LABELS/SHEET	SHEETS/BOX	PENS/BOX
STER-36	10-5/8" x 5-1/4"	1.9" x 0.6"	35	100	100
STER-37	8-1/2" x 4-1/2"		24		
STER-38	4-1/4" x 4-1/2"		12		
STER-39	4-1/4" x 4-1/2"		12		

Ultra Fine Point Sterile Pens included. All of the above labels have Permanent (P) adhesive. Labels individually packed in hermetically sealed pouch.

STER-SKM

## Sterile Skin Marker Pen with Flexible Ruler

Each Kit includes:

- Surgical Skin Marking Pen
- 6"/15 cm Ruler
- Individually packaged in hermetically sealed pouch

### STER-SKM SPECIFICATIONS

ITEM #	KITS/CASE
STER-SKM	100

STER-VIS

## Sterile Skin Marker Pen with Labels and Flex Ruler

Each Kit includes:

- Surgical Skin Marking Pen
- 6" Ruler
- 9 Blank Paper Labels
- Individually packaged in hermetically sealed pouch

### STER-VIS SPECIFICATIONS

ITEM #	LABEL SIZE	KITS/CASE
STER-VIS	2" x 1/2"	100

Paper labels are not waterproof and will deteriorate when wet.

# STOCK STERILE MEDICATION LABELING KITS

## 1 48 Medication Labels

<b>Afrin</b> Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Kefzol</b> Strength: _____ g/ml Exp. Date: _____ Exp. Time: _____	<b>Thrombin</b> Strength: _____ Units Exp. Date: _____ Exp. Time: _____	<b>Afrin</b> Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Kefzol</b> Strength: _____ g/ml Exp. Date: _____ Exp. Time: _____	<b>Thrombin</b> Strength: _____ Units Exp. Date: _____ Exp. Time: _____
<b>Antibiotic c 0.9% Saline Irrigation</b> Name and Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Lidocaine</b> Strength: _____ % Exp. Date: _____ Exp. Time: _____	<b>Water</b> Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Antibiotic c 0.9% Saline Irrigation</b> Name and Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Lidocaine</b> Strength: _____ % Exp. Date: _____ Exp. Time: _____	<b>Water</b> Strength: _____ Exp. Date: _____ Exp. Time: _____
<b>Bacitracin</b> Strength: _____ Units Exp. Date: _____ Exp. Time: _____	<b>Lidocaine c Epinephrine</b> Strength: _____ % Exp. Date: _____ Exp. Time: _____	<b>Med.</b> Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Bacitracin</b> Strength: _____ Units Exp. Date: _____ Exp. Time: _____	<b>Lidocaine c Epinephrine</b> Strength: _____ % Exp. Date: _____ Exp. Time: _____	<b>Med.</b> Strength: _____ Exp. Date: _____ Exp. Time: _____
<b>Cocaine</b> Strength: _____ % Exp. Date: _____ Exp. Time: _____	<b>Marcaine</b> Strength: _____ % Exp. Date: _____ Exp. Time: _____	<b>Med.</b> Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Cocaine</b> Strength: _____ % Exp. Date: _____ Exp. Time: _____	<b>Marcaine</b> Strength: _____ % Exp. Date: _____ Exp. Time: _____	<b>Med.</b> Strength: _____ Exp. Date: _____ Exp. Time: _____
<b>Contrast</b> Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Marcaine c Epinephrine</b> Strength: _____ % Exp. Date: _____ Exp. Time: _____	<b>Med.</b> Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Contrast</b> Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Marcaine c Epinephrine</b> Strength: _____ % Exp. Date: _____ Exp. Time: _____	<b>Med.</b> Strength: _____ Exp. Date: _____ Exp. Time: _____
<b>Epinephrine</b> Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Papaverine</b> Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Med.</b> Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Epinephrine</b> Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Papaverine</b> Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Med.</b> Strength: _____ Exp. Date: _____ Exp. Time: _____
<b>Heparin</b> Strength: _____ Units Exp. Date: _____ Exp. Time: _____	<b>Saline - Injectable</b> Strength: 0.9% Exp. Date: _____ Exp. Time: _____	<b>Med.</b> Strength: _____ Exp. Date: _____ Exp. Time: _____	<b>Heparin</b> Strength: _____ Units Exp. Date: _____ Exp. Time: _____	<b>Saline - Injectable</b> Strength: 0.9% Exp. Date: _____ Exp. Time: _____	<b>Med.</b> Strength: _____ Exp. Date: _____ Exp. Time: _____
<b>Heparin</b> Strength: _____ Units 0.9% Saline _____ ml Exp. Date: _____ Exp. Time: _____	<b>Saline - Irrigation</b> Strength: 0.9% Exp. Date: _____ Exp. Time: _____		<b>Heparin</b> Strength: _____ Units 0.9% Saline _____ ml Exp. Date: _____ Exp. Time: _____	<b>Saline - Irrigation</b> Strength: 0.9% Exp. Date: _____ Exp. Time: _____	

## 2 Dual Tip Utility / Skin Marking Pen & Ruler



- Ultra fine point tip, permanent black ink that is smudge proof and waterproof on one end
- Gentian violet skin marker on the other end
- Includes flexible ruler 6"/15 cm

## 3 "Time Out" Reminder Label

Time Out	
Patient Name _____	MR # _____
<input type="checkbox"/> Correct Patient	<input type="checkbox"/> Correct Procedure
<input type="checkbox"/> Correct Site	<input type="checkbox"/> Correct Implants
Signature _____	Date/Time _____

- Use as a Joint Commission "Time Out" reminder
- Verify correct patient, procedure, site and implants before the start of an operation
- Affix this label to patient record to document compliance with The Joint Commission's Universal Protocol

## 4 Medication Container Labels



- Set of 4 medication container labels
- Use to label medication cups, basins and other containers
- Removes cleanly without leaving messy residue

## 5 Medication Cups (STER-41 kit only)



- Use to prepare and hold medication for surgical procedures
- One 60cc and one 120cc disposable plastic cup per kit

### STOCK STERILE MEDICATION LABELING KITS

ITEM #	SHEET SIZE	LABEL SIZE	LABELS/SHEET	KITS/BOX	MEDICATION CUPS
STER-40	12-3/4" x 6"	1.9" x 0.6"	48	100	No
STER-41					Yes

Kits are individually packed in hermetically sealed pouch.

# CUSTOM STERILE MEDICATION LABELING KITS

**Customize** your sterile medication label kit as easy as 1-2-3.

## 1 Specify the label size, label quantity, and label material

### Label Sizes

**LIDOCAINE**

Strength \_\_\_\_\_ %

Exp. Date \_\_\_\_\_ Exp. Time \_\_\_\_\_

1-1/2" x 1/2"

Actual size shown

**LIDOCAINE**

Strength \_\_\_\_\_ %

Exp. Date \_\_\_\_\_ Exp. Time \_\_\_\_\_


1.9" x 0.6"

Actual size shown

### Number of Labels per Sheet

- 6 Labels
- 10 Labels
- 14 Labels
- 20 Labels

For more labels per sheet, call 800.435.4242




### Label Materials



**Waterproof polypropylene white**

Background color can be added



**Waterproof clear**

Clear label with black text only

## 2 Select a Sterile Pen

### PDC Fine Point Tip Pen



- Fine point tip permanent black ink used for writing on labels, plastic, and glass
- Smudge proof
- Waterproof

How it writes:

FINE TIP

### Surgical Skin Marking Pen with Flexible Ruler



- Gentian violet ink that is non-toxic, non-smearing, non-irritating and safe for use on patient's skin
- Use to mark surgical site on a patient
- Flexible ruler conforms to patient's body and has both 6 inch and 15 cm scales

How it writes:




### Dual Tip Utility/Skin Marking Pen with Flexible Ruler



- Ultra fine tip, permanent black ink that is smudge proof and waterproof on one end
- Gentian violet skin marker on the other end
- Includes flexible ruler

How it writes:



### Ultra Fine Point Label Marking Pen



- Ultra fine tip permanent black ink used for writing on labels
- Smudge proof
- Waterproof

How it writes:

ULTRA FINE TIP

## 3 Add a "Time Out" Label, Medication Cups, and Container Labels

**Time Out**

Patient Name \_\_\_\_\_

MR # \_\_\_\_\_ DOB \_\_\_\_\_

☐ Correct Patient ☐ Correct Procedure

☐ Correct Site ☐ Correct Implants

Signature \_\_\_\_\_ Date/Time \_\_\_\_\_



Medication cups and medication container labels can be sold separately.

Call to order your custom kit today!  
**800.435.4242**

Check out other PDC solutions for surgical procedures designed to help you improve patient safety.

Anesthesia labels & tapes

Scope & tray tracking tags

Surgical drapes

C-Arm covers

Camera drapes

Autoclaveable labels

Biopsy trays & Kits

Bouffants, shoe covers  
& gloves

"Time Out" Kits

Color coded  
alert wristbands & labels

**Custom solutions available!**



## Get Free Samples and a Quote

Visit [pdchealthcare.com/sterilelabels](http://pdchealthcare.com/sterilelabels) or call 800.435.4242